

experience
more
together

**ZHEJIANG
CFMOTO POWER CO.,LTD**

No. 116, Wuzhou Road, Yuhang Economic Development Zone
Hangzhou 311100, Zhejiang Province.

✉ export@cfmoto.com

media@cfmoto.com

🌐 Global.cfmoto.com

📘 CFMOTOOFFICIAL

📺 cfmotoofficial

🏠 CFMOTO



CFORCE
1000 MI
CUT THROUGH MUD





ADVENTURE



CFORCE 1000 MV

CFORCE 1000 MV—your ultimate all-terrain playmate, engineered for versatility and power, with special optimizations for mud. Whether you're conquering rugged trails, dominating muddy terrains, or seeking thrilling adventures, this beast is ready for anything. With enhanced torque, a stable stance, a robust engine, and superior vehicle protection, no challenge is too great. Embrace the spirit of adventure and fun—join the ranks of those who dare to get thoroughly muddy and enjoy the ride.



963cc V-TWIN POWER

Engine Solutions Tailored Exactly to CFORCE 1000 MV Demands

+22%

H gear ratio

20%

more cooling capacity

Re-calibrated
OMNIDRIVE™ CVT



ENHANCED RADIATOR SYSTEM

Flexibly adapt to different scenarios

The radiator offers three adjustable angles:

Fully Down Position: Specifically designed for mud driving, it effectively prevents mud clogging while maintaining high-efficiency cooling.

Semi-up Position: Ideal for non-muddy sections, it maximizes the wind-catching area to enhance heat dissipation.

Fully Up Position: Facilitates maintenance and cleaning. The quick-release mud-guard allows for easy access. The first two positions are secured by quick-release hand-tightened bolts, and the third position is fixed with a prop rod to ensure the radiator remains stable.



INCREASED TIRE SIZE

Mud Tires

Equipped with 30-inch mud tires, which are ingeniously engineered. Their unique tread pattern enables effortless mud shedding, ensuring that mud doesn't cling and impede performance.

Beefier Wheels with Beadlock Rims

The beefier wheels equipped with beadlock rims not only add a more aggressive look to the vehicle but also ensure that the tires stay securely attached to the rims under extreme off-road conditions, preventing tire deflation and enhancing performance.





MUD-READY ENHANCEMENT



Upgrade Protection

- Color-matched bumpers reinforced with a steel plate.
- 8mm HDPE skid plate with specially designed folds at the footwell area to shield the foot pegs on both sides.

Elevated Winch

- 3500lb winch with synthetic rope, raised by 200mm.
- Equipped with additional front recovery hooks for quick self-rescue and assisting others in tough situations.

Wider Fenders

- Front and rear fenders widened, with a 53% increase in fender area.
- Made of durable TPO material, offering elasticity and tear resistance, ensuring reliable performance in challenging forest terrains.

Mud Strap

- Specifically designed for tough terrains, it strategically redistributes weight to enhance traction and assist in getting out of tricky situations.

Diagonal Footrests

- The second-tier foot pegs have been redesigned into forward-leaning diagonal footrests. These act as footholds for wheelie standing rides, thus enhancing the driving experience.





SPACIOUS STORAGE

Impressive Capacity: The front rack can hold up to 20kg, the rear rack 90kg, and the towing capacity reaches 700kg, enabling you to carry all your essential gear for an adventure.

Waterproof Protection: The rear end is innovatively designed with a 14.5L waterproof storage box, paired with a tailbone protection pad. It keeps your items safe and dry, even in muddy conditions.

GENERAL	
Length x Width x Height Wheelbase	2491x 1370x 1390mm 1480mm
Ground Clearance	334mm
Turning Diameter	7600mm
Curb Weight	522kg
Tow I hitch Ratings Trailer with Brakes	700kg
Payload Capacity	195kg
Fuel Capacity	26L
CHASSIS	
Drive	2WD/4WD/4WD differential lock
Brakes	Four-wheel hydraulic discbrakes
Suspensions	F: High clearance A-arm independent, 185mm travel
	R: Trailing arm independent, 236mm travel
Shock Absorber	Piggyback gas shock absorbers, compression/rebound adjustable
Rims	14-inch bead locks alloy
Tires	F: 30X9.00 R14
	R: 30X11.00 R14
ENGINE	
Engine Type	V-Twin, 4-stroke, liquid cooled, SOHC,
Displacement	8-valve 963cc
Fuel Supply	BOSCH EFI
Transmission	CVT, P-R-N-H-L



Granite Ridge



Twilight Blue

CFMOTO models may vary to meet local regulations and regional demands.