

experience
more
together

ZHEJIANG CFMOTO POWER CO.,LTD

No. 116, Wuzhou Road, Yuhang Economic Development Zone
Hangzhou 311100, Zhejiang Province.



info@cfmoto.com

media@cfmoto.com



www.cfmoto.com/global



CFMOTO_Official



cfmotoofficial



CFMOTO



RISE BEYOND CHALLENGE

CFORCE
850 TOURING

CFORCE
1000 TOURING





WHAT'S NEW

CFORCE 1000 TOURING 90hp/85Nm

CFORCE 850 TOURING 75hp/70Nm

- 305mm / 285mm ground clearance
- 820kg class-leading towing capacity*
- 17% tighter turning radius
- Multiple power modes
- Multiple EPS modes
- Descent Assist Control
- 3500 lb. powerful electric winch
- High-intensity LED lights (max 43000cd)
- 7" TFT / option 8" MMI touchscreen gauge



ENGINE

16% increase in big-bore V-Twin power.

- Heightened performance across full rpm spectrum
- Reinforced cylinder head, enlarged intake and exhaust valves, optimized cam-shafts for peak efficiency.
- Changed from a single-stage to a dual-stage filter with tangential intake, reducing intake resistance by 45%, improving overall intake efficiency.
- Cooling efficiency upgrade: tailored to accommodate higher-power engine, this upgrade in cooling system ensures exceptional heat dissipation, meeting the demands of superior performance.
- Burst Sensor: address challenges related to EFI-calibrated affects and enhance engine performance.



CFORCE 850 TOURING



CVT TRANSMISSION

Smooth, efficient and longer belt life.

- Primary & Secondary Clutch Enhancement: High-silicon material adopted for heightened durability. Vacuum and high-pressure cast make improved clutch surface harder and wear resistant.
- Extended Center Distance: Increased from 225mm to 260mm for enhanced performance.
- Structural Evolution: Shifted from centrifugal slider to rocker slider design.
- Temperature Sensor: Smart Over-Temperature Reminder: New sensor for intelligent alerts, easily detectable in the gauge.
- Air Intake Optimized.



1. Increased width, which also allows for bigger tires
2. Hexagon grille complemented by enhanced LED headlight
3. Progressive CFORCE DNA



TECH IMPROVEMENTS

CFORCE 850 TOURING
& 1000 TOURING

—70% components have undergone significant upgrades and optimizations.



CHASSIS

- **Suspension Enhancement:** 35% increase in suspension travel, coupled with a 17% tighter turning radius, for a smoother and agile riding experience.
- **Optimal Approach Angles:** Unbeatable at 90 degrees* for approach.
- **More Capable Damping:** retuned piggyback shock or oil spring damping for a smooth and comfortable ride across diverse terrains.
- **Tire Flexibility:** Break free from tire space limitations with the capability to mount 26-inch, 27-inch tires and even bigger ones.
- **New front sway bar** for enhanced stability.



CRF1100L TOURING

ELECTRONIC THROTTLE

—Utilization of the torque-based throttle control technology, that brings linear power response.

• Multiple Power Modes


- Sport Mode:** Aggressive throttle response. 100% unlocking of vehicle power.
- Work Mode:** Linear throttle response. Balanced and easy to control. Suitable for most scenarios.
- Normal Mode:** Smooth power output curve. Facilitates easy completion of daily work. response.

• Triple Modes Power Steering (EPS)

- Min:** Corresponds to Sport mode, delivering a responsive and dynamic driving experience.
- Mid:** Corresponds to Normal mode, ensuring a balanced and versatile response.
- Max:** Corresponds to Work mode, providing optimal power output for efficient task completion.

• Electronic Descent Assist Control (DAC)





CFORCE 850 TOURING
& 1000 TOURING



ENHANCE YOUR RIDE EXPERIENCE

Ride and work with confidence knowing you have the top specifications and technology.

1. High-intensity LED lights (max output 43000cd)
2. 7-inch TFT gauge / 8-inch MMI touchscreen with Apple CarPlay connectivity
3. Gear shift to the right side
4. Legs spacing narrowed by 11mm
5. CF-connect front and rear racks
6. 3500lb electric winch
7. Multiple electricity portals
8. 3.8L glove box
9. Premium comfort passenger seat
10. Dual-Muffler Exhaust



CFORCE 850 TOURING

VARIATION

CFORCE 850 TOURING



CFORCE 850
TOURING



CFORCE 850
TOURING - premium

CFORCE 1000 TOURING



CFORCE 1000
TOURING



CFORCE 1000
TOURING - premium

Shock absorber
Wheels
Tires
Gauge

Oil-shock-absorbers
14-inch alloy rims
26-inch tires
7-inch TFT

+ Piggyback gas-shock-absorbers
+ 14-inch Beadlock alloy rims
+ 27-inch tires
+ 8-inch MMI touchscreen gauge
or 7-inch TFT

Piggyback gas-shock-absorbers
14-inch alloy rims
27-inch tires
7-inch TFT

+ Piggyback gas-shock-absorbers
+ 14-inch Beadlock alloy rims
+ 27-inch tires
+ 8-inch MMI touchscreen gauge
or 7-inch TFT

COLORS

Tundra Grey, Lava Orange,
TT Camo




Tundra Grey with red rims and
shock absorber spring

Tundra Grey, Lava Orange,
TT Camo



Zircon Black with orange rims and
shock absorber spring





		CFORCE 850 TOURING	CFORCE 1000 TOURING
ENGINE	Engine Type	V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve	V-Twin, liquid cooled, 4-stroke, SOHC, 8-valve
	Displacement	800cc	963cc
	Fuel System	Bosch EFI	Bosch EFI
	Power Modes	Sport/Normal/Work	Sport/Normal/Work
	Maximum Power	75hp@7500rpm	90hp@7500rpm
	Maximum Torque	70Nm@5500	85Nm@5500
DRIVETRAIN	Transmission	CVT, P-R-N-H-L	CVT, P-R-N-H-L
	4WD	2WD/4WD/4WD Lock (front differential)	2WD/4WD/4WD Lock (front differential)
	Downhill Assist Control	Equipped	Equipped
	Steering	Triple-Mode EPS	Triple-Mode EPS
SUSPENSION	Front Suspension	High clearance A-arm independent, 230mm travel	High clearance A-arm independent, 230mm travel
	Rear Suspension	Trailing arm independent, 236mm travel	Trailing arm independent, 236mm travel
	Shocks	Coil spring shock absorbers with oil dampening	Piggyback gas shock absorbers, compression/rebound adjustable
BRAKES	Front / Rear Brakes	Four-wheel hydraulic disc brakes, single-piston caliper	Four-wheel hydraulic disc brakes, single-piston caliper
TIRES AND WHEELS	Front Tyres	26X8.00-14	27X9.00-14
	Rear Tyres	26X10.00-14	27X11.00-14
	Wheels	14-inch alloy	14-inch alloy

DIMENSION

	CFORCE 850 TOURING	CFORCE 1000 TOURING
Wheelbase	1480mm	1480mm
Ground Clearance	285mm	305mm
Turning Diameter	6.7m	6.7m
Curb Weight	465kg	472kg (not included beadlock)
Overall Vehicle Size (LxWxH)	2445 x 1264 x 1450mm	2445 x 1282 x 1465mm
Front/Rear Rack Carrying Capacity	45kg/90kg	45kg/90kg
Payload Capacity	300kg	300kg
Towing Capacity	820kg / 800kg EU	820kg / 800kg EU
Fuel Capacity	26L	26L
Seating Capacity	Two, independent passenger seat with handgrips	Two, independent passenger seat with handgrips
FEATURES	Cargo System	CF-Connect cargo system, with convertible racks
	Lighting	Full LED lighting
	Winch	3500lb electric winch
	Instrumentation	7-inch TFT
	Other Standard Features	Dual-Exhaust-Muffler, handguards, 3.8L glove box, dual power sockets
COLORS	Tundra Grey, Lava Orange, TT Camo	Tundra Grey, Lava Orange, TT Camo
	Premium-spec color; Tundra Grey (red rims & shock springs)	Premium-spec color: Zircon Black (orange rims & shock springs)

Front Windshield

Accessory Code: 9AWV-805100-8000

Features:

- Made of Impact-resistant 5mm thickness Acrylic
- Stable, quiet at low/speed riding condition
- UV and weather endurance with no yellowing
- Driver wind protection
- Excellent visibility
- Easy to Install



Front Bumper Assembly

Accessory Code: 9AWV-801100-8000

Features:

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to Install
- Provides front protection of vehicle
- Headlight protection
- Anti-corrosion coating with durable coat finish
- Compatible with winch system and plow system

**LED lights and the mounting brackets need to be purchased separately.



Rear Bumper Assembly

Accessory Code: 9AWV-801200-8000

Features:

- Steel Tube diameter 38mm & wall thickness 2mm
- Durable, E-coated with black powder coat
- Easy to Install
- Provides rear protection of vehicle
- Taillight protection
- Anti-corrosion coating with durable coat finish
- Compatible with hitch system



Accessory Code: 9AWV-801300-8000

Features:

- Steel Tube Diameter: up 22mm
- Durable, E-coated with black powder coat
- Perfectly fits on CFORCE 850 Touring / CFORCE 1000 Touring, Easy to Install
- Helps keep cargo securely in place



Passenger Gauntlet Assembly

Accessory Code: 85214G-00001

Features:

- Outer made of Canvas, Inside made of polyester fiber
- Keep passenger's hands warm in the cold weather
- With Velcro and snap-fit, easy to install and remove

**apply to CFORCE 625 Touring, CFORCE 850 TOURING and CFORCE 1000 TOURING.



HDPE Skid Plate Assembly

Accessory Code: 9AWV-806100-8000

Features:

- Made of high density polyethylene HDPE (thickness 8mm)
- Ultimate durability, High Impact strength
- HDPE skid plate assembly can work with aluminum A-Arm protectors (9AWV-806300-8000) to provide a full protection to your vehicle bottom. (Aluminum A-Arm Protectors need to be purchased separately.)
- Offering great protection in rough terrain



Aluminum Skid Plate Assembly

Accessory Code: 9AWV-806200-8000

Features:

- Made of high strength aluminum (thickness 4mm)
- Ultimate durability, High Impact strength
- Aluminum skid plate can work with aluminum A-Arm protectors (9AWV-806300-8000) to provide a full protection to your vehicle bottom. (Aluminum A-Arm Protectors need to be purchased separately.)
- Offering great protection in rough terrain



Aluminum A-Arm Protectors

Accessory Code: 9AWV-806300-8000

Features:

- Made of high strength aluminum (thickness 4mm)
- Ultimate durability, High Impact strength
- Aluminum A-Arm Protectors can work with HDPE skid plate (9AWV-806100-8000) or Aluminum skid plate (9AWV-806200-8000) to provide a full protection to your vehicle bottom. (Skid plates need to be purchased separately.)
- Offering great protection in rough terrain



For a full list of accessory products, please refer to the CFMOTO accessory catalog for selection.

CFORCE 1000 TOURING

*Photos are for illustrative purposes only. Specs to change without notice.
Subject to material object. Details in store.

*Photos are for illustrative purposes only. Specs to change without notice.
Subject to material object. Details in store.

Basic Accessories



Front Basket Assembly

Accessory Code: 9DQV-802100-3000

Features:

- Perfectly fit on CFORCE 850 Touring & CFORCE 1000 Touring
- Large storage capacity can take 3 open face helmets
- Have 7 rope holes/handgrip holes on the basket
- Stylish look, Heavy duty plastic
- With CF Connect, Easy to Install and remove, Tool-less
- Work with CFMOTO Tool Holder, can take more tools

**need to order 4 CFConnect Base (9DQV-807100-3000) with the front basket for CFORCE 400 S / 400 Touring and CFORCE 500 S / 500 Touring and CFORCE 850 Touring / CFORCE 1000 Touring.



Front Cargo Box Assembly New lock latch

Accessory Code: 9DQV-806200-3001

Features:

- Large storage capacity (14 Gallons, 54 Liters)
- Stylish look, Heavy duty plastic.
- The lid can be lifted by spring support, no fall down.
- With CFConnect, Easy to Install and un-Install, Tool-less.
- With water seal on the lid and No mounting holes inside of the box, a perfect water tight seal.
- The box bottom has draining hole for easy cleaning the inside of the box.
- Perfectly fit on CFORCE 850 Touring & CFORCE 1000 Touring.

**need to order 4 CFConnect Base (9DQV-807100-3000) with the front cargo box for CFORCE 400 S / 400 Touring and CFORCE 500 S / 500 Touring and CFORCE 850 Touring / CFORCE 1000 Touring.



Cargo Box Assembly Plastic latch

Accessory Code: 9DQV-806100-3001

Cargo Box Assembly New Lock latch

Accessory Code: 9DQV-806100-3003

Features:

- Large storage capacity (26 Gallons, 100 Liters) can take 3 open face helmets
- Lockable lid, Stylish look, Heavy duty plastic
- With CF Connect, Easy to Install and un-Install, Tool-less
- No mounting holes inside of the cargo box, a perfect Water tight seal
- With draining hole, easy to clean the inside of cargo box.



Plastic latch



New Lock latch



**the reserved mounting holes on box cover can be used to installed hooks for attaching ropes to tie down bags or some items on box cover.

**The code of the hook illustrated in the following pictures is: 58WV-230530-5000, not included the washer and M6 Bolt. Please order hooks as your need.



*Photos are for illustrative purposes only. Specs to change without notice.
Subject to material object. Details in store.

Cooler Box Assembly

Accessory Code: 9CGV-806800-3000

Features:

- 46L (12 U.S. gallon) cooler box.
- With CFConnect clamps, cooler box can be easily installed and un-installed.
- Rotomolded construction provides extreme rigidity and durability.
- Good seal and premium-quality foam insulation can ensure optimal ice retention.
- One removable compartment protects food.
- Use 2 robust rubber latches ensure the cover tightly closed.
- One drain plug can drain liquid from the cooler box easily.

**This cooler box can be installed on CFORCE 520 / 520 L and CFORCE 850 Touring & CFORCE 1000 Touring.

**This cooler box can be installed on UFORCE 600 which equipped front rack. But Consumer's front sight will be affected by the box. So consumers can order the cooler box as their need.



Canvas Storage Bag

Accessory Code: 9DS#-809200-6000

Features:

- This canvas storage bag includes 5 individual storage spaces and 1 portable bag.
- The main storage bag can be divided into 3 pcs spaces by dividers.
- IPX4 waterproof
- Large capacity 99L

**It could be used on CFMOTO with rear rack extender.



*Photos are for illustrative purposes only. Specs to change without notice.
Subject to material object. Details in store.

